

**Form IV**  
**(See Rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or : operator of facility)		DR. Partha Sasmithi Mandal
	(ii) Name of HCF or CBMWTF		Deepest Hospital, D. Durgam
	(iii) Address for Correspondence		B.T. Park, Dist - D. Durgam 733103
	(iv) Address of Facility		- do -
	(v) Tel. No, Fax. No		8768327485
	(vi) E-mail ID		supta.daddh@gmail.com
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF		(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules		Authorisation No.: 37/25(CM)1191/2001... valid up to 30-09-2022
	(xi). Status of Consents under Water Act and Air Act		Valid up to:
2.	Type of Health Care Facility		
	(i) Bedded Hospital		No. of Beds:.....
	(ii) Non-bedded hospital		
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		
3.	Details of CBMWTF		
	(i) Number healthcare facilities covered by CBMWTF		
	(ii) No of beds covered by CBMWTF		
	(iii) Installed treatment and disposal capacity of CBMWTF:		Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		273 Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category : 13286 kg Red Category : 7689 kg

					White: 6108 kg Blue Category: 6055 kg. General Solid waste: 438 kg.
5	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility	:		Size : collect day to day	
				Capacity : waste and disposed through incinerators.	
				Provision of on-site storage : (cold storage or any other provision)	-
	disposal facilities			Balurghat Municipality and Greenzen Bio-Private Limited Type of treatment equipment	No of unit Cap Quantity treated or disposed in kg per annum
				Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits Chemical disinfection Any other treatment equipment	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:		Red Category (like plastic, glass etc.)	
	(iv) No of vehicles used for collection and transportation of biomedical waste	:		Collect by Balurghat Municipality and Greenzen Bio-Private Limited	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Incineration Ash ETP Sludge	Quantity generated Where disposed
	(vi) Name of the Common Bio-Medical Waste Treatment Facility			Balurghat Municipality and Greenzen Bio Private Limited	



Operator through which wastes are disposed of

(vii) List of member HCF not handed over bio-medical waste.

6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period

7 Details trainings conducted on BMW

(i) Number of trainings conducted on BMW Management.

3

	(ii) number of personnel trained		121
	(iii) number of personnel trained at the time of induction		
	(iv) number of personnel not undergone any training so far		
	(v) whether standard manual for training is available?		
	(vi) any other information)		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator).

Certified that the above report is for the period from 1st January 2020 to 31<sup>st</sup> Dec. 2020.

Date 26-02-2021  
Place - Bahughat

26/2/2021  
District Hospital  
Bhadrachalam